

Katia

www.katia.com

1 BAMBOO



ENGLISH

SIZE: -a) 36 1/4" -b) 40 1/8" -c) 43 1/4"
-d) 47 1/4": finished bust measurement: **UK sizes:**
-a) 8-10 -b) 12-14 -c) 16-18 -d) 20-22.

MATERIALS

BAMBOO: -a) 8 -b) 8 -c) 9 -d) 10 balls beige color 38

Knitting needles	Stitches
Size 2 and 4 (3 and 3,5 metric)	<ul style="list-style-type: none"> • 2x2 Ribbing (see Basic instructions) • Openwork pattern st (see graph A) • Cable pattern (see graph B)

GAUGE

Take time to check gauge.

Using size 4 needles, in Openwork pattern st:
18 sts and 28 rows = 4x4"

BACK

Using size 2 needles **cast on** -a) 82 sts -b) 90 sts -c) 98 sts -d) 106 sts. Work in 2x2 Ribbing, beginning and ending with K2.
When work measures 2 3/8" (6 cm), **with size 4 needles** continue working in Openwork pattern st following graph A.

Shoulders and neckline shaping: When work measures -a) 22" (56 cm) -b) 22 1/2" (57 cm) -c) 22 7/8" (58 cm) -d) 23 1/4" (59 cm), **bind off (cast off)** all sts.

FRONT

Using size 2 needles **cast on** -a) 82 sts -b) 90 sts -c) 98 sts -d) 106 sts. Work in 2x2 Ribbing, beginning and ending with K2.

When work measures 2 3/8" (6 cm) evenly **decrease** 4 sts in the last row of Ribbing. **With size 4 needles** continue working in Openwork pattern st following graph A and in Cable pattern following graph B, in the following stitch pattern: 18 center sts (= 20 sts in the 2nd row) in Cable pattern following graph B and:

-a) 30 sts at either edge in Openwork pattern st following graph A

-b) 34 sts at either edge in Openwork pattern st following graph A

-c) 38 sts at either edge in Openwork pattern st following graph A

-d) 42 sts at either edge in Openwork pattern st following graph A

Neckline shaping: When work measures

-a) 19 1/4" (49 cm) -b) 19 3/4" (50 cm) -c) 20 1/8" (51 cm) -d) 20 1/2" (52 cm), **bind off (cast off)** the center 18 sts and drop the stitch just worked at either edge of cable pattern, allowing it to unravel down to the ribbing. Continue working each half separately **binding off (casting off)** at neck edge, at the beginning of each row:

-a) 2 times 3 sts, 3 times 2 sts

-b) 3 times 3 sts, 2 times 2 sts

-c) 4 times 3 sts, 1 time 2 sts

-d) 5 times 3 sts

Shoulder: When work measures -a) 22" (56 cm)

-b) 22 1/2" (57 cm) -c) 22 7/8" (58 cm) -d) 23 1/4" (59 cm), **bind off (cast off)** the rem -a) 18 sts

-b) 21 sts -c) 24 sts -d) 27 sts.

Work other half in the same way, **reversing** all shaping.

SLEEVES

Using size 2 needles **cast on** -a) 70 sts -b) 74 sts -c) 78 sts -d) 82 sts. Work in 2x2 Ribbing, beginning and ending with K2.

When work measures 1 3/4" (4,5 cm), **with size 4 needles** continue working in Openwork pattern st following graph A.

When work measures -a) 5 1/2" (14 cm) -b) 5 7/8" (15 cm) -c) 6 1/4" (16 cm) -d) 6 3/4" (17 cm), **bind off (cast off)** all sts.

Work other sleeve in the same way.

FINISHING (MAKING UP)

Sew -a) 3 3/4" (9,5 cm) -b) 4 1/2" (11,5 cm) -c) 5" (12,5 cm) -d) 5 3/4" (14,5 cm) of one shoulder seam.


Collar: using size 2 needles **pick up** -a) 110 sts -b) 114 sts -c) 118 sts -d) 122 sts along neck edge and work in 2x2 Ribbing, beginning and ending with K2.

When work measures 1 1/4" (3 cm) **bind off (cast off)** all sts.

Sew other shoulder and collar along -a) 3 3/4" (9,5 cm) -b) 4 1/2" (11,5 cm) -c) 5" (12,5 cm) -d) 5 3/4" (14,5 cm). Match center of one sleeve to shoulder seam and **sew**. **Sew** other sleeve in the same way. **Sew** side and lower sleeve seams.



Graph B

On alternate rows work sts and YOs as they appear.



Graph A


On alternate rows work sts and YOs as they appear.



Graphique A

À tous les rgs pairs, tric. les m. comme elles se présentent.

- R Répéter
- 1 m. end.
- 1 jeté
- 1 surjet double (1 m. glissée, tric. 2 m. ensemble à l'end. et passer la m. glissée par-dessus la m. tricotée).

**F**RANÇAIS

TAILLES : -a) 38-40 -b) 42-44 -c) 46-48
-d) 50-52

FOURNITURES

Qualité BAMBOO col. n° 38 beige : -a) 8 -b) 8 -c) 9 -d) 10 pelotes

Aig.	Points employés
N° 3 et N° 3,5	<ul style="list-style-type: none"> • Côtes 2x2 (voir page des pts de base) • Pt ajouré (voir graphique A) • Torsades (voir graphique B)

ÉCHANTILLON (10 CM X 10 CM)

18 m. et 28 rgs au pt ajouré avec les aig. n° 3,5

DOS

Avec les aig. n° 3, monter -a) 82 m. -b) 90 m. -c) 98 m. -d) 106 m. Tric. en côtes 2x2, en commençant et en terminant par 2 m. end.

À 6 cm de hauteur totale, avec les aig. n° 3,5, continuer à tric. au pt ajouré selon le graphique A.

Épaules et encolure :

À -a) 56 cm -b) 57 cm -c) 58 cm -d) 59 cm de hauteur totale, rabattre.

DEVANT

Avec les aig. n° 3, monter -a) 82 m. -b) 90 m. -c) 98 m. -d) 106 m. Tric. en côtes 2x2, en commençant et en terminant par 2 m. end.

À 6 cm de hauteur totale, au dernier rg de côtes 2x2, répartir 4 **diminutions**. Avec les aig. n° 3,5, continuer à tric. au pt ajouré selon le graphique A et en torsades selon le graphique B, avec la répartition suivante : 18 m. centrales (au 2^e rg, il reste 20 m.) en torsades selon le graphique B et :


-a) 30 m. de chaque côté au pt ajouré selon le graphique A

-b) 34 m. de chaque côté au pt ajouré selon le graphique A

Graphique B

À tous les rgs pairs, tric. les m. comme elles se présentent.

- R Répéter
- 1 m. end.
- 1 m. env.
- 1 jeté
- / passer 2 m. sur une aig. aux. placée devant l'ouvrage, tric. 1 m. env. et tric. à l'end. les 2 m. de l'aig. aux.
- \ passer 1 m. sur une aig. aux. placée derrière l'ouvrage, tric. 2 m. end. et tric. à l'env. la m. de l'aig. aux.
- / passer 2 m. sur une aig. aux. placée devant l'ouvrage, tric. 2 m. end. et tric. à l'end. les 2 m. de l'aig. aux.
- \ passer 2 m. sur une aig. aux. placée derrière l'ouvrage, tric. 2 m. end. et tric. à l'end. les 2 m. de l'aig. aux.
- * lâcher la m. de l'aig. et la détricoter jusqu'aux côtes.



-c) 38 m. de chaque côté au pt ajouré selon le graphique A

-d) 42 m. de chaque côté au pt ajouré selon le graphique A

Encolure :

À -a) 49 cm -b) 50 cm -c) 51 cm -d) 52 cm de hauteur totale, rabattre les 18 m. centrales et lâcher les deux m. avant et après les torsades et les détricoter jusqu'aux côtes. Continuer à tric. chaque côté séparément, en rabattant du côté de l'encolure, au début de chaque rg :

-a) 2 x 3 m., 3 x 2 m.

-b) 3 x 3 m., 2 x 2 m.

-c) 4 x 3 m., 1 x 2 p

-d) 5 x 3 m.

Épaule :

À -a) 56 cm -b) 57 cm -c) 58 cm -d) 59 cm de hauteur totale, rabattre

les -a) 18 m. -b) 21 m. -c) 24 m. -d) 27 p restantes.

Tric. l'autre côté à l'identique mais en vis-à-vis.

MANCHES

Avec les aig. n° 3, monter -a) 70 m. -b) 74 m.

-c) 78 m. -d) 82 m. Tric. en côtes 2x2, en commençant et en terminant par 2 m. end.

À 4,5 cm de hauteur totale, avec les aig. n° 3,5, continuer à tric. au pt ajouré selon le graphique A.

À -a) 14 cm -b) 15 cm -c) 16 cm -d) 17 cm de hauteur totale, rabattre.

MONTAGE

Coudre -a) 9,5 cm -b) 11,5 cm -c) 12,5 cm

-d) 14,5 cm pour une épaule.

Col :

Avec les aig. n° 3, relever sur l'encolure
-a) 110 m. -b) 114 m. -c) 118 m. -d) 122 m. et tric. en côtes 2x2, en commençant et en terminant par 2 m. end.

À 3 cm de hauteur totale, rabattre.

Coudre les a) 9,5 cm -b) 11,5 cm -c) 12,5 cm

-d) 14,5 cm de l'autre épaule et du col. Appliquer les manches en faisant coïncider le milieu de la manche avec la couture de l'épaule et **coudre**. **Coudre** les côtés et le bas des manches.

